

MIMIC

ENGINEERED FOR
A SAFER TOMORROW

INDUSTRIAL
SIGNALLING
SOLUTIONS
WORLDWIDE

PRODUCT CATALOG 2026

Electrical Control Panel products
Maintenance, Safety, Emergency, Machine lighting
Warning and Signalling products
Explosive Area Products

SAFETY
SIGNALS
CONTROL
BRIGHTER
TOMORROW



RELIABLE
PERFORMANCE



SAFETY
FIRST



WIDE RANGE
OF PRODUCTS



INDUSTRIAL
SOLUTIONS

INNOVATION | QUALITY | SAFETY | RELIABILITY

TRUSTED
SOLUTIONS
FOR A
SAFER WORLD

Edition 2026

MIMIC

Electrical control panel products

RELIABLE SIGNALS FOR A SAFER TOMORROW



LED Indicating Lamp

Page No. 6, 7



Semaphore Indicator

Page No. 8, 9



Buzzer cum Flasher

Page No. 10, 11



Electronic Hooter

Page No. 12, 13



Annunciation Windows

Page No. 14, 15



Heater Coil Burnt Indicator

Page No. 16, 17



Annunciation Systems

Page No. 18, 19



Timers

Page No. 18, 19



Time Switch

Page No. 18, 19



Sequential timers

Page No. 18, 19



QUALITY
PRODUCTS



ENHANCED
SAFETY



INNOVATIVE
SOLUTIONS



TRUSTED
GLOBALLY

BUILT FOR
A BRIGHTER TOMORROW

BUILT FOR
A SAFER
TOMORROW

MIMIC

LED Warning Signal Lights, Alarms, Sounder, Hooter, Siren

INDUSTRIAL SIGNALLING SOLUTIONS



LED Signal Tower Lamp

page no. 20,21



**Territory Warning
Signaling Lamp**

page no. 22



Warning Flag

page no. 23



audio visual Alarm

page no. 24,25



Sounder cum Strobe

page no. 26,27



IP66 Hooter Flasher

page no. 28,29



Audio Visual Alarm

portable siren

page no. 30,31



Electronic Siren

page no. 32,33



Motion Sensor Alarm

page no. 34,35



Remote Hooter

page no. 36,37



ENHANCED
SAFETY



RELIABLE
PERFORMANCE



AUDIBLE & VISUAL
ALERTS



SUITABLE FOR
INDUSTRIAL APPLICATIONS

TRUSTED
SIGNALLING
SOLUTIONS

MIMIC

Maintenance, Safety, machine, Emergency Light

SAFE PEOPLE | RELIABLE MACHINES | BRIGHTER TOMORROW



Mobilight

page no. 40,41



LED hand Lamp

page no. 42,43



**LED Rechargeable
Floodlight**

page no. 44,45



Light Jacket

page no. 46,47



Helmet lamp

page no. 48,49



DC Tubelight

page no. 50,51



Emergency Light

page no. 52,53



ENHANCED
SAFETY



RELIABLE
PERFORMANCE



INNOVATIVE
SOLUTIONS



TRUSTED
GLOBALLY

LIGHTING
A SAFER
TOMORROW

MIMIC

Flameproof and Intrinsically safe products

SAFE SOLUTIONS FOR HAZARDOUS ENVIRONMENTS



TRUSTED
IN HAZARDOUS
AREAS



Zener Barrier for
Intrinsically Safe
Smoke Detector
—
page no. 38,39



Flameproof Air
Conditioner Window
—
page no. 38,39



Flameproof Computer /
Explosion Proof PC
—
page no. 38,39



Flameproof
Camera Enclosure
—
page no. 38,39



Flameproof CCTV
Camera System
—
page no. 38,39



Flameproof Ceiling Fan
—
page no. 38,39



Flameproof
Camera Enclosure No.2
—
page no. 38,39



Flameproof Temperature
Indicator & Controller
—
page no. 38,39



Flameproof
Portable Emergency
Light
—
page no. 38,39



Flameproof
LED Tube Light
—
page no. 38,39



Flameproof Torch
—
page no. 38,39



Flameproof
Emergency Exit
—
page no. 38,39



FLP LED Rechargeable
Hand Lamp
—
page no. 38,39



CERTIFIED
SAFETY



RUGGED
CONSTRUCTION



SUITABLE FOR
HAZARDOUS AREAS



RELIABLE
PERFORMANCE



CUSTOM SOLUTIONS
AVAILABLE

BUILT FOR A
SAFER TOMORROW

MIMIC

Indicating Lamp

CLEAR INDICATION
HIGHER SAFETY



**WIDE RANGE
OF COLOURS**
For every
application need



**DURABLE
CONSTRUCTION**
Built for harsh
industrial environments



**EASY
INSTALLATION**
Panel mount design
for quick fitment



**SUITABLE FOR
INDUSTRIAL PANELS**
Trusted in Automation
& Control Systems



SMALL INDICATORS

BIG DIFFERENCE

INDICATE | ALERT | PROTECT

*Reliable
Today
Safer
Tomorrow*



FACTORIES



CONTROL
PANELS



MACHINERY



AUTOMATION

**BUILT FOR A
SAFER WORLD**

MIMIC

SMALL INDICATORS
BIG DIFFERENCE
INDICATE | ALERT | PROTECT

Bi-Colour Indicating Lamp

Model : BIL

- ▶ Two Colours in Single Lamp
- ▶ Any Two Combinations of Colour
- ▶ Saves Space



Dual-Voltage Indication Lamp

Model : DVL

- ▶ Two Voltages in Single Lamp
- ▶ Any Two Voltages in Single Lamp
- ▶ Saves Stocks



Legend Indication Lamp

Model : LEG

- ▶ Directly Displays Legend
- ▶ No need of Legend Plate
- ▶ Saves Time



STD Indication Lamp

Model : STD

- ▶ Equal Glow From All sides
- ▶ Smooth Glow



ECO Indication Lamp

Model : ECO

- ▶ High Bright Sparkling Glow
- ▶ Bright Indication from front Side
- ▶ Saves Space



TRUSTED FOR
INDUSTRIAL APPLICATIONS



INDUSTRY



CONTROL PANELS



MACHINERY



AUTOMATION



PROCESS PLANTS

CLEAR INDICATION
HIGHER SAFETY

MIMIC

RELIABLE
TODAY
SAFER
TOMORROW

Semaphore Indicator

CLEAR VISUAL INDICATION
FOR SAFE OPERATIONS



HIGH
VISIBILITY



RUGGED
DESIGN



EASY
INSTALLATION



LONG
SERVICE LIFE



SUITABLE FOR
INDUSTRIAL
APPLICATIONS

MIMIC

RELIABLE
TODAY
SAFER
TOMORROW

Semaphore Indicator



Cutout : 22.5 mm

Model MIMIC-SP-22.5-RO

Voltage : 24V,110V, 220 VDC



Cutout : 22.5 mm

Model MIMIC-SP-22.5-RO-TEST

Voltage : 24V,110V, 220 VDC



Cutout : 22.5 mm

Model MIMIC-SP-22.5-SQ

Voltage : 24V,110V, 220 VDC



Cutout : 30.5 mm

Model MIMIC-SP-30.5

Voltage : 24V,110V, 220 VDC



Cutout : 43 mm

Model MIMIC-SP-43

Voltage : 24V,110V, 220 VDC



Cutout : 72 mm

Model MIMIC-SP-72

Voltage : 24V,110V, 220 VDC

Application

H.T. Electrical Control Panels

MIMIC

Buzzer cum Flasher

AUDIO VISUAL ALARM
IN ONE COMPACT UNIT



HIGH AUDIBLE
SOUND



BRIGHT
LED FLASHING



COMPACT &
EASY INSTALLATION



RELIABLE &
RUGGED DESIGN



SUITABLE FOR
INDUSTRIAL APPLICATIONS



RELIABLE
TODAY
SAFER
TOMORROW

AVAILABLE
VOLTAGES

24V AC/DC

110V AC/DC

230V AC

Application

Electrical Control Panels | Machinery | Process Industries

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

RELIABLE
TODAY
SAFER
TOMORROW

Buzzer cum Flasher

AUDIO VISUAL ALARM IN ONE COMPACT UNIT



Buzzer cum Flasher

Model **BZ**

Voltage : 230VAC / 24VDC

Sound Output : 90 - 110 dB

Colour : Red, Green, Amber, Blue, White



LOUD
AUDIBLE SOUND



BRIGHT
LED FLASHING



COMPACT &
EASY INSTALLATION



Continuous Buzzer

Model **BZ-C**

Voltage : 230VAC / 24VDC

Sound Output : 90 - 110 dB

Colour : Red, Green, Amber, Blue, White



CONTINUOUS
BUZZER



BRIGHT
LED FLASHING



RUGGED &
RELIABLE DESIGN

Application

Fault Indications, Alarm Panels, Automation Panels,
Electrical control Panels

MIMIC

RELIABLE
TODAY
SAFER
TOMORROW

Electronic Hooter

POWERFUL ALERTS FOR A SAFER TOMORROW



HIGH
SOUND OUTPUT



RUGGED
CONSTRUCTION



EASY
INSTALLATION



RELIABLE
PERFORMANCE



SUITABLE FOR
INDUSTRIAL USE

Application

Electrical Control Panels | Machinery | Process Industries | Alarm Systems

MIMIC

Electronic Hooter

AUDIBLE ALERTS FOR A SAFER TOMORROW

RELIABLE
TODAY
SAFER
TOMORROW



Panel Hooter - Basic

Model **GNO**

Voltage : 230, 110 VAC, 24 VDC

Sound Output : 102 dB

Models : GNO, EN0, EN1, UGNO, UN0

Tones : Wobbling, Plain & double tone
depending upon the models



HIGH SOUND
OUTPUT



RUGGED
CONSTRUCTION



EASY
INSTALLATION



RELIABLE
PERFORMANCE



Panel Hooter with Audio Accept

Model **EN3**

Voltage : 230, 110 VAC, 24 VDC

Sound Output : 102 dB

3 Tones : Plain, Double, Wobbling tone
Audio accept facility & LED Flasher



MULTI-TONE
SELECTION



AUDIO ACCEPT
FACILITY



LED FLASHER
INDICATION



RUGGED &
RELIABLE DESIGN

Application

Electrical Control Panel | Automation Panel | Audio Visual Alarms

MIMIC

Annunciation Window

BRIGHT INDICATION
FOR A SAFER TOMORROW

MIMIC Annunciation Windows provide clear and bright visual indication for status, alarms and operating conditions in control and automation panels.



HIGH
BRIGHTNESS



RUGGED
CONSTRUCTION



EASY
INSTALLATION



MULTIPLE
COLOURS

Application



Electrical
Control Panels



Automation
Panels



Machinery



Process Industries



RELIABLE
VISIBLE
DURABLE

CLEAR
INDICATION
**BETTER
CONTROL**



MIMIC

Annunciation Windows

CLEAR INDICATION
FOR A SAFER TOMORROW



BRIGHT
INDICATION



RUGGED
CONSTRUCTION



EASY
INSTALLATION



MULTIPLE
COLOURS

RELIABLE
VISIBLE
DURABLE



Bezel : 30 x 30 mm

Model **W3030**

Voltage : 24V, 48V, 110V, 230 VAC/DC
Colour : Red, Green, Amber,
Yellow, Blue



Bezel : 30 x 40 mm

Model **W3040**


Voltage : 24V, 48V, 110V, 230 VAC/DC
Colour : Red, Green, Amber,
Yellow, Blue



Bezel : 30 x 60 mm

Model **W3060**

Voltage : 24V, 48V, 110V, 230 VAC/DC
Colour : Red, Green, Amber,
Yellow, Blue



Bezel : 60 x 60 mm

Model **W6060**

Voltage : 24V, 48V, 110V, 230 VAC/DC
Colour : Red, Green, Amber,
Yellow, Blue

Application

Electrical & automation control panels with customized Legends



MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

Heater Coil Burnt Indicator

FOR TRANSFORMER &
ELECTRICAL PANELS

Quick visual indication of
heater coil burnt condition –
for better protection
and longer equipment life.



CLEAR
VISUAL INDICATION



IMPROVES
EQUIPMENT SAFETY



RUGGED &
DURABLE CONSTRUCTION



EASY
INSTALLATION

Application



Transformers



Electrical
Control Panels



Switchgear



Industrial Plants



Power & Utilities

PROTECTING
YOUR SYSTEMS
ALWAYS

Heater coil **burnt indicator** / No current Indicator



Indication type

Model MIMIC CSI-1

- ▶ Current Rating : 0.5 - 15 Amp
- ▶ 1 - 50 Amp (with C.T.)
- ▶ 2 - 100 Amp (with C.T.)
- ▶ 5 - 200 Amp (with C.T.)
- ▶ **Types** : No Current - No Indication



Buzzer cum Flasher Indication Type

Model MIMIC CSI-2

- ▶ Current Rating : 0.5 - 15 Amp
- ▶ 1 - 50 Amp (with C.T.)
- ▶ 2 - 100 Amp (with C.T.)
- ▶ 5 - 200 Amp (with C.T.)
- ▶ **Type** : No Current - Yes Indication
No Current - Flashing Indication
No Current - Beeping buzzer & Flashing indication



Relay ON Type

Model MIMIC CSI-3

- ▶ Current Rating : 0.5 - 15 Amp
- ▶ 1 - 50 Amp (with C.T.)
- ▶ 2 - 100 Amp (with C.T.)
- ▶ 5 - 200 Amp (with C.T.)
- ▶ **Type** : No Current - Relay ON



With inbuilt Timer

Model MIMIC CSI-4

- ▶ Current Rating : 0.5 - 15 Amp
- ▶ 1 - 50 Amp (with C.T.)
- ▶ 2 - 100 Amp (with C.T.)
- ▶ 5 - 200 Amp (with C.T.)
- ▶ **Type** : No Current - Relay & Buzzer ON after timelag

Application



Detects Burnt heater coil by sensing current passing through & gives audio visual alarm.

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

RELIABLE
CONTROL
FOR A SAFER
TOMORROW

Timers, Annunciation System & Time Switch

MONITOR | CONTROL | INDICATE | AUTOMATE



ANNUNCIATION SYSTEM



CLEAR
INDICATION



MODULAR
DESIGN



EASY
INSTALLATION



TIME SWITCH



ACCURATE
TIMING



PROGRAMMABLE



RELIABLE
PERFORMANCE



TIMER RELAY



WIDE TIME
RANGE



COMPACT
DESIGN



STABLE &
DURABLE

Application



Control Panels



Industrial Machinery



Process Plants



Building Automation



OEM Equipment

MIMIC

EAPL Products

INDICATE | CONTROL | AUTOMATE

Programmable Alarm Annunciators



M3 Series

FLEXIBLE ALARM
ANNUNCIATION

Features

- Micro processor based design with super bright SMD LEDs
- Master and slave units are available in 4, 6 & 8 windows.
- Incorporates a built-in buzzer in addition to fault alarm relay output.
- User-selectable sequence of operations – Manual / Auto reset / Manual reset with ring back / FIFO.
- RS485 communication output with field selectable device Ids.

Applications

- C&R panels, Transformer panels, DG set panels, Fire annunciation panels, Instrumentation panels and many more.

RELIABLE
INDICATION
EVERYWHERE

A-Series (22.5mm)



Features

- Suitable for Din Rail / Screw Mounting.
- LED indication for timing in progress.
- Terminal Block safety protective cover.

Applications

- AMF Panels, Automation Panels, HT / LT Panels, MCC Panels, C & R Panels, RTCC Panels, Transformer Panels and many more.

Digital Time Switches



Features

- Switches ON-OFF 4 times in a day with respect to real time.
- Manual over riding possible.

Applications

- Street lighting, Advertising boards, DG sets, Pumps, Compressors, Exhaust fans, ATM air conditioners and many more.

Application



Control Panels



Industrial Machinery



Transformer Panels



DG Sets



Building Automation



Process Plants

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

LED Signal Tower Light

VISUAL ALERTS | SAFE OPERATIONS | HIGHER EFFICIENCY

BRIGHT
INDICATION
FOR A
SAFER
TOMORROW



INDUSTRIAL
SIGNALLING
SOLUTIONS

CLEAR
INDICATION
HIGHER
PRODUCTIVITY



BRIGHT
LED LIGHT



RUGGED &
DURABLE



EASY
INSTALLATION



WIDE
VOLTAGE RANGE

Features

- High brightness LED indication
- Available in multiple colour combinations
- 1 to 5 tiers
- Steady & flashing types
- With or without buzzer (95 dB)
- Panel top mounting (22.5 mm cutout)
- Wide voltage range: 24V, 110V, 230V AC/DC
- Low power consumption
- Rugged and durable design

Applications



CNC
MACHINES



GAMING
MACHINES



TEXTILE
MACHINES



AUTOMATION
PANELS



PRODUCTION
LINES



AIRPORT

RELIABLE INDICATION FOR A SMARTER TOMORROW

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

CLEAR
INDICATION
HIGHER
PRODUCTIVITY

LED Signal Tower Light

VISUAL ALERTS | SAFE OPERATIONS | WIDE APPLICATIONS



LED Signal Tower Light - Steady

Model SLTI

Voltage : 24, 110, 230VAC/DC
Tiers : 1 - 5 tiers
Type : Steady & Flashing
Cutout : 22.5 mm



LED Signal Tower Light Base Mounting Type

Model SLTI Base mounting

Voltage : 24, 110, 230VAC/DC
Tiers : 1 - 5 tiers
Type : Steady & Flashing
Cutout : 22.5 mm



LED Signal Tower Light with Buzzer

Model SLTI B+F

Voltage : 24, 110, 230VAC/DC
Tiers : 1 - 5 tiers
Sound Output : 95 dB
Type : Steady & Flashing
Cutout : 22.5 mm



BRIGHT
LED INDICATION



BUILT-IN
BUZZER (95 dB)



RUGGED
& DURABLE



EASY
INSTALLATION

- ✓ Multiple colour combinations
- ✓ Low power consumption
- ✓ Long life LED
- ✓ Maintenance free

- ✓ Suitable for indoor & industrial use
- ✓ Panel top mounting (22.5 mm cutout)
- ✓ Wide voltage range

Applications

CNC Machines

Gaming Machines

Textile Machines

Automation Panels

Production Lines

Airport

MIMIC TERRITORY WARNING SIGNALING LAMP

Portable Rechargeable Warning Light for Restricted Areas

PRODUCT OVERVIEW

The MIMIC Territory Warning Signaling Lamp is a portable and wireless safety signalling device designed to clearly indicate restricted or prohibited areas and help prevent unauthorised entry. It is particularly suitable for industrial environments where access control, hazard awareness and personnel safety are of critical importance.

The lamp is placed on the floor at strategic locations, generally at the four corners of a restricted zone, to establish a clearly visible warning perimeter. Its flashing light and integrated audible beeping alarm provide both visual and sound alerts, warning personnel to stay away from designated hazardous areas.

Powered by a rechargeable lithium-ion battery, this lamp offers convenient cordless operation without the need for a continuous external power supply during use. Its portable design allows easy placement, removal and repositioning according to site requirements, making it suitable for temporary safety zones and changing industrial work conditions.

The MIMIC Territory Warning Signaling Lamp is especially useful in high-tension control panel testing areas, electrical testing stations, maintenance zones and other restricted industrial locations where clear warning signals are essential. By improving hazard visibility and alerting personnel to restricted access areas, it supports safer working practices and helps minimise the risk of accidental entry.

KEY FEATURES

-  Portable and wireless design
-  Rechargeable lithium-ion battery
-  High-visibility flashing warning light
-  Integrated audible beeping alarm
-  Floor placement for restricted-zone marking
-  Easy to position and relocate as required
-  Provides combined visual and audible warnings
-  Suitable for temporary and designated hazardous areas

TYPICAL APPLICATIONS

-  High-tension control panel testing areas
-  Electrical testing and inspection zones
-  Industrial maintenance and repair areas
-  Restricted-access work zones
-  Electrical switchgear testing facilities
-  Temporary hazard perimeters in industrial premises



MIMIC

MIMIC WARNING FLAG

Portable Audible & Visual Warning Signaling Device

PRODUCT OVERVIEW

The MIMIC Warning Flag is designed to provide audible and visual alerts from a distance, helping people identify emergency situations and communicate warnings in large buildings and restricted areas. Its flashing light and high-pitched audible alarm help attract attention and alert occupants or emergency response personnel.

KEY FEATURES



Flashing visual warning light



High-pitched audible alarm



Long-distance alerting



Suitable for emergency warning applications

TYPICAL APPLICATIONS



High-rise buildings



Emergency alerting



Large commercial and industrial premises



Fire brigade notification and emergency response



Illuminated View
(Red / Pink Light)



Non-Illuminated View



Angled View



MIMIC — Reliable Signaling. Safer Environments.

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

Audio Visual Alarm

SOUND THAT ALERTS | LIGHT THAT INDICATES

CLEAR
INDICATION
HIGHER
PRODUCTIVITY



HIGH
SOUND OUTPUT
(up to 105 dB)



BRIGHT
LED INDICATION



RUGGED &
DURABLE



EASY
INSTALLATION



Features

- Combination of audible buzzer and flashing LED
- High sound level output (up to 105 dB)
- Bright and long life LED indication
- Suitable for continuous operation
- Robust metal enclosure
- Available in various voltages (24V, 110V, 230V AC/DC)
- Panel, foot or wall mounting options
- Ideal for industrial and harsh environments

Applications



Industrial
Machinery



Control
Panels



Automation
Systems



Process
Plants



Building
Management



Fire & Safety
Systems

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

CLEAR
INDICATION
HIGHER
PRODUCTIVITY

Audio Visual Alarm

SOUND THAT ALERTS | LIGHT THAT INDICATES | SAFER TOMORROW



HIGH
SOUND OUTPUT



BRIGHT
LED INDICATION



RUGGED &
DURABLE



EASY
INSTALLATION



Audio Visual Alarm

Model AV-BI-DIR

Voltage	: 24VDC / 230VAC
Sound Output	: 110 dB
Tone	: Wobbling
Weather Protection	: IP 66
Flasher	: LED type
Type	: Bi-Directional alarm



High Intensity Audio Visual Alarm

Model HI-AV

Voltage	: 24VDC / 230VAC
Sound Output	: 110 dB
Tone	: Wobbling
Weather Protection	: IP 66
Flasher	: LED type



Hooter + Flasher

Model Hooter+ Flasher

Voltage	: 230,110 VAC, 24 VDC
Cutout Size	: 92 x 92 mm
Sound Output	: 102 dB
Tones	: Wobbling
Flashing Beacon	: On top
Mounting	: Base / Wall mounting



Hooter + Flasher with Audio Accept

Model With Beacon on top

Voltage	: 230,110 VAC, 24 VDC
Cutout Size	: 92 x 92 mm
Sound Output	: 102 dB
Tones	: Plain, Double, Wobbling tone
Audio Accept	: In front
Flashing Beacon	: On top
Operation	: Steady after accept

Applications



Industrial
Machinery



Control
Panels



Process
Plants



Building
Management



Fire & Safety
Systems



Material Handling
Systems

MIMIC

**CLEAR
INDICATION
HIGHER
PRODUCTIVITY**

IP 66 Weatherproof Sounder

POWERFUL ALERTS
IN TOUGH ENVIRONMENTS



**WEATHER
PROOF**



**LOUD
ALERT**



**RUGGED
& DURABLE**



**RELIABLE
PERFORMANCE**



Wide Range of Applications



Factories & Plants



Oil & Gas Industries



Ports & Marine



Mining Operations



Construction Sites



Warehouses & Yards

SIGNALLING FOR A SAFER TOMORROW

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

IP 66 Weatherproof Sounder

TOUGH ALERTS
FOR TOUGH ENVIRONMENTS



IP 66
WEATHERPROOF



LOUD &
CLEAR SOUND



BRIGHT
LED FLASHER



RUGGED &
DURABLE



CLEAR
INDICATION
HIGHER
PRODUCTIVITY

Weatherproof Sounder

A robust audio-visual alarm suitable for harsh industrial environments. Designed for reliable performance in outdoor and wet conditions.

- **Voltage** : 24VDC / 230VAC
- **Sound Output** : 100-104 dB
- **Tone** : 4 / 8 / 32 Tone models
- **Weather Protection** : IP 66
- **Strobe** : LED type, high intensity strobing flash light

Applications



Factories
& Plants



Oil & Gas
Industries



Ports &
Marine



Mining
Operations



Construction
Sites



Warehouses
& Yards

SIGNALLING FOR A SAFER TOMORROW

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

IP 66 Hooter + Flasher

RUGGED SIGNALLING
FOR TOUGH ENVIRONMENTS

Ideal for
Industrial Applications



**CLEAR
INDICATION
HIGHER
PRODUCTIVITY**



HIGH SOUND OUTPUT
Loud & clear alarm



BRIGHT LED FLASHER
High visibility



IP 66 WEATHERPROOF
For harsh environments



RUGGED & DURABLE
Built for long life



EASY INSTALLATION
Simple mounting

Applications



Factories & Plants



Electrical Panels
& Switchgear



Machinery & Equipment



Warehouses & Yards



Automation Systems

SIGNALLING FOR A SAFER TOMORROW

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

CLEAR
INDICATION
HIGHER
PRODUCTIVITY

RUGGED
RELIABLE
EFFECTIVE



IP 66 Hooter + Flasher

TOUGH SIGNALLING FOR TOUGH ENVIRONMENTS

Model

MIMIC H+F-IP66



Types

Single / Two / Hooter + Flasher



Voltages

24VDC, 110VAC, 230VAC



Weather Protection

IP 66

Application

Outdoor and Naval Applications

MIMIC

Portable
SIREN



MIMIC

**ALERT
ANYTIME
ANYWHERE**

Portable SIREN

POWERFUL SOUND
FOR A SAFER TOMORROW



Battery Backup
2 Hrs



Sound Output
100 - 104 dB



Tone
Wobbling Tone, High pitch



Flasher
LED type



*Loud
Clear
Reliable*

Model

PO-SI

Application



Industrial Sites



Construction Areas



Safety & Security



Emergency Alerts

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

Electronic **SIREN** with Strobe Light



**LOUD
ALERT**



**BRIGHT
STROBE**



**RELIABLE
PERFORMANCE**

*Sound for a Safer
Tomorrow*



MIMIC

Electronic **SIREN** with Strobe Light

ALERT
ANYTIME
ANYWHERE



Voltage
24VDC / 230VAC



Sound Output
110 dB



Tone
Single tone / Multi tone



Weather Protection
IP 66



Flasher
LED type



Range
500 m



Application



Factory



Railway
Level Crossing



Warning Alarm



Industrial Areas

MIMIC

Motion Sensing **ALARM**

Detects Motion, Alerts Instantly



Motion Detection

Automatically detects movement



Loud Alarm

High sound output



Strobe Light

Bright LED indication



Rugged Design

For industrial use



*Smart
Protection
Always On*

**SAFETY
SECURITY
AUTOMATION**

Applications



Factories



Warehouses



Entry/Exit Points



Perimeter Security

MIMIC

Motion Sensing ALARM

DETECT
ALERT
PROTECT

Smart Detection for Safer Premises

Motion Sensing Hooter

Model H-MS



-  **Voltage**
24VDC / 230VAC
-  **Sound Output**
110 dB
-  **Tone**
Wobbling
-  **Weather Protection**
IP 66
-  **Flasher**
LED type
-  **Description**
Senses the movement & sounds
-  **Application**
Shutter, theft & border Security



IDEAL FOR
SHUTTER, THEFT &
BORDER SECURITY



Reverse Vehicle Motion Sensing Alarm

Model H-REV



-  **Voltage**
24VDC / 230VAC
-  **Sound Output**
110 dB
-  **Tone**
Wobbling
-  **Weather Protection**
IP 66
-  **Flasher**
LED type
-  **Description**
To be installed at rear end of Vehicle
-  **Application**
Reverse movement of vehicle



IDEAL FOR
REVERSE MOVEMENT
OF VEHICLE



Application



Factories



Warehouses



Entry / Exit Points



Warning, Safety & Security

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

MONITOR
CONTROL
PROTECT

Remote Control Alarm

WIRELESS ALERT FOR A SAFER TOMORROW



A-Safe Sensor S35



Detects
Movement



Audio
Alert



Reliable
Performance



A-Safe Transmitter T35



Wireless
Transmission



Easy
Pairing



Robust
Design



A-Safe Receiver R35



Visual
Indication



Audio
Alert



Long
Range

Applications



Factories



Warehouses



Entry / Exit Points



Perimeter Security

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

SAFETY
BEYOND
DISTANCE

Remote Control ALARM

Reliable Warning for a Safer Tomorrow

-  **Long Range**
1.2 Km (minimum)
-  **Loud Alarm**
110 dB
-  **Rechargeable**
Li-ion Battery
-  **Weather Proof**
IP 65

Description & Application

The product is used for warning for the working gangmen on railway track maintenance work. The range of warning is 1.2 Km (minimum). The sensing of carriage is by microwave radar reflection system. Output alarm is high pitch type.



Remote Control Alarm

Model	SI-RC
Range	1.2 Km minimum
Sound Output	110 dB
Battery	Li-ion
Weather protection	IP 65

*Alert
Today
Safer
Tomorrow*

Applications



Railway Track
Maintenance



Working Gangmen
Safety



Advance Warning
System



Industrial &
Outdoor Use

MIMIC

Flameproof PRODUCTS

SAFE SIGNALING FOR HAZARDOUS AREAS



**CERTIFIED
SAFETY
IN HAZARDOUS
AREAS**



Flameproof Construction
Safe for explosive environments



Rugged & Reliable
Built for harsh industrial conditions



Wide Voltage Range
Suitable for industrial use



Weather Protection
IP 66 / IP 67



Long Service Life
Low maintenance design



**BUILT
FOR A
SAFER
TOMORROW**

Applications



Oil & Gas
Industries



Petrochemical
Plants



Mining
Areas



Paint Shops



Chemical
Plants



Flameproof Hooter with Flasher

Model FI/HTRFL/110

Voltage : 230VAC / 110VAC / 24VDC
Sound Output : 110 dB
Gas group : IIA, IIB & IIC, Zone 1



Flameproof Speaker

Model FI/HAZ/SP

Voltage : 230VAC / 110VAC / 24VDC
Wattage : up to 30 Watt
Gas group : IIA, IIB & IIC, Zone 1



Flameproof Multi-tone Hooter with Flasher

Model FI/MHTRFL

Voltage : 230VAC / 110VAC / 24VDC
Sound Output : 110 dB
Tone : 32 Tones
Gas group : IIA, IIB & IIC, Zone 1



Flameproof Hooter with Flasher

Model FI/HTRFL/95

Voltage : 230VAC / 110VAC / 24VDC
Sound Output : 95 dB
Gas group : IIA, IIB & IIC, Zone 1



Flameproof Computer

Model FI/HAZ/COMP

Gas group : IIA & IIB, Zone 1
Weight : 130 Kg
Certified Intrinsically safe
Keyboard cum mouse & FLP enclosure.



Flameproof LED Rechargeable Torch

Model FI/HAZ/RT

Charging : Safe area only
Battery backup : 5 hrs
Gas group : IIA, IIB & IIC, Zone 1



Flameproof LED Emergency Light

Model FI/EMG/100

Voltage : 230 VAC
Wattage : 100W
Battery Backup : 60 min
Charging Time : 8 Hours
Gas group : IIA & IIB Zone 1



Flameproof Exit Signage

Model FI/HAZ/ES

Voltage : 230 VAC
Wattage : 30W
Gas group : IIA & IIB Zone 1



Flameproof Split AC

Model FI/HAZ/SPL

Capacity : 1.5, 2, 2.5 Tons
Gas group : IIA, IIB & IIC

Applications



Oil & Gas
Industries



Petrochemical
Plants



Chemical
Industries



Offshore
Facilities



Hazardous
Areas

MIMIC

LIGHT
FOR A
SAFER
TOMORROW

MobiLight

RECHARGEABLE LED EMERGENCY LAMP

COMPACT | RELIABLE | ALWAYS WITH YOU

YOUR
RELIABLE
LIGHT
ANYWHERE



Home / Office
Emergency Lamp



Purse
Emergency Lamp



Car kit
Emergency Lamp



Travel Companion /
Trekking Lamp



Automobile / Machine
Maintenance Lamp



Professional Lamp
for Consulting Rooms



Electrical Panel
Wiring Lamp

Applications



Home
Emergency Use



Car
Maintenance



Travel / Trekking
Outdoor Use



Electrical
Panel Work



Machine
Maintenance



Consulting Rooms
Professional Use



Bright LED Light



Rechargeable



Lightweight & Portable



Rugged Design



Multi-purpose

MobiLight
BE PREPARED. STAY BRIGHT.

MIMIC

INDUSTRIAL SIGNALLING SOLUTIONS

MobiLight

COMPACT | RELIABLE | ALWAYS WITH YOU

LIGHT
FOR A
SAFER
TOMORROW



Rechargeable




Strong
Magnets



Lightweight
& Portable



2 Hours
Backup



Specifications :-

● Brand	MobiLight (Registered)
● Battery	Rechargeable with inbuilt battery
● Battery Life	500 times charge/discharge cycles of battery
● Warranty	1 year
● Design	Designed & manufactured in India.
● Backup	2 hours minimum
● Charging Time	5 to 6 hours
● Charging Status	Green indicator (Charging complete)
● Charging Port	Standard "C" type charger 5V 
● Protection	Over voltage, under voltage & short circuit protection.
● Wattage	6 watt
● Lumen (Intensity)	6000
● Colour Temperature	6500K
● Switch	ON/OFF push button

Mounting :-

- 2 Nos. Strong magnets
- Retractable stainless steel wire hook
- Total weight with carton: 250gm
- Size: 40 x 57 x 190mm
- Main body: Aluminium
- Side covers: ABS
- Top: Translucent high-grade polycarbonate



Retractable
Stainless Steel Hook



Strong Magnet

Accessories :-

- Pouch
- Carton



RUGGED
DESIGN



LIGHTWEIGHT
& PORTABLE



RELIABLE
PERFORMANCE



MULTI-PURPOSE
USE

Be Prepared. Stay Bright.

MIMIC

LED Hand Lamp

RUGGED | RELIABLE | READY WHEN YOU ARE

Durable and high-performance LED Hand Lamp designed for industrial maintenance, inspection and general work lighting.

LIGHT
FOR A
SAFER
TOMORROW



High
Brightness



Rugged
Design



Long
Life



Lightweight
& Portable



Safe
Operation

Applications



Industrial Maintenance




Electrical Panels



Machinery Inspection



Construction Sites



Automotive Service



RUGGED
DESIGN



ENERGY
EFFICIENT



RELIABLE
PERFORMANCE



INDUSTRIAL
GRADE

Be Prepared. Stay Bright.

MIMIC

LED Hand Lamp

RUGGED | RELIABLE | READY WHEN YOU ARE

LIGHT
FOR A
SAFER
TOMORROW

Model : Sparrow

Sparrow - Rechargeable 7W



Model MIMIC-SP-REC

Wattage : 7 Watt max.

Lumen : 700

Battery Backup : 2 Hours.

Sparrow - 14W



Model MIMIC-SP

Voltage : 24 VAC, 24VDC

Wattage : 14 Watt

Lumen : 1400

Sparrow-14 W with transformer



Model MIMIC-SP-Transformer

Input Voltage : 230VAC-24 VAC/24VDC

Wattage : 14 Watt

Lumen : 1400

Model : Eagle

Eagle-Rechargeable 12 W



Model MIMIC-EG-REC

Wattage : 12 Watt

Lumen : 1200

Battery Backup : 2 Hours.

Eagle- 36 W



Model MIMIC-EG

Voltage : 24 VAC, 24VDC

Wattage : 14, 28, 36 Watt

Lumen : 1400, 2800, 3800

Eagle- 36W with transformer



Model MIMIC-EG-Transformer

Input Voltage : 230VAC-24 VAC/24VDC

Wattage : 14, 28, 36 Watt

Lumens : 1400, 2800, 3800

Application

Factories, Automobile, Railway, Defense, Navy, Air force - Emergency & Maintenance work



Factories



Automobile



Railway



Navy



Air force



Emergency & Maintenance work

Built
for Tough
Jobs

MIMIC

LIGHT
FOR A
SAFER
TOMORROW

Rechargeable Flood Light

POWERFUL | PORTABLE | RELIABLE

High performance rechargeable LED flood light for industrial, construction and outdoor applications. Bright light, wherever you need it.



High
Brightness



Rechargeable
Battery



Portable &
Lightweight



Rugged
Design



Energy
Efficient



RUGGED
DESIGN



ENERGY
EFFICIENT



RELIABLE
PERFORMANCE



INDUSTRIAL
GRADE

Be Prepared. Stay Bright.

MIMIC

**LIGHT
FOR A
SAFER
TOMORROW**



Rechargeable Flood Light

Model

Shakti 3000



Wattage

30, 40, 50, 60 & 100 watt



Battery backup

2 hrs & 4 hrs
@ turbo & normal mode



Weather Protection

IP 66

RUGGED | RELIABLE | PORTABLE | ENERGY EFFICIENT

Be Prepared. Stay Bright.

MIMIC

LIGHT
FOR A
SAFER
TOMORROW

Hands Free Lighting Jacket

*"Keep Hands free while
doing maintenance work"*



Hands
Free



Ideal for
Maintenance
Work



Lightweight
& Comfortable



Durable
Design



WORK SAFER | WORK SMARTER | STAY VISIBLE

Be Prepared. Stay Bright.

MIMIC

Hands Free Lighting Jacket

Keep Hands free while doing maintenance work

Salient Features

-  Light Weight
-  Easy to operate
-  Keep hands free while working
-  14W, 1400 lumens
-  Diffused Light
-  Arrangement to keep other tools
-  Inbuilt rechargeable battery



LIGHT
FOR A
SAFER
TOMORROW



WORK
SAFER



WORK
SMARTER



IMPROVE
SAFETY



INCREASE
PRODUCTIVITY



CONVENIENT
& RELIABLE

Be Prepared. Stay Bright.

MIMIC

LIGHT
FOR A
SAFER
TOMORROW

Helmet Lamp

Bright Light. Safer Work.
Anywhere, Anytime.



Bright
Illumination



Easy
Mounting



Portable
& Lightweight



Reliable
Performance



WORK SAFER

WORK SMARTER

STAY VISIBLE

Be Prepared. Stay Bright.

MIMIC

Helmet Lamp

Bright Light for
Safer Work.

LIGHT
FOR A
SAFER
TOMORROW

Helmet Lamp

Model **HEL-3**

Wattage : 3 watt

Battery backup : 2 hrs



Bright
Illumination



Lightweight
& Comfortable



Rechargeable
Battery



Easy
Mounting

Application

Maintenance in Mines, Tunnels, Factories, Automobile, Railway, Defense, Navy, Air force



Mines



Tunnels



Factories



Automobile



Railway



Defense / Navy



Air force

*Be Prepared.
Stay Bright.*

MIMIC

LED DC Tube Light

High Performance Lighting
for Industrial Applications



Energy
Efficient



Long
Life



IP65
Protection



Easy
Installation



LIGHT
FOR A
SAFER
TOMORROW



24V DC
48V DC
110V DC



IP65
Rated



50,000
Hours Life

*Bright.
Reliable.
Long Lasting...*

Applications

Control Panels | Machinery | Tunnels | Factories | Automobiles | Railway | Defense | Navy | Air force



Control Panels



Machinery



Tunnels



Factories



Automobiles



DURABLE



RELIABLE



ENERGY EFFICIENT

*Be Prepared.
Stay Bright.*

MIMIC

LED DC TUBE LIGHT

ENGINEERED FOR
INDUSTRIAL EXCELLENCE



Energy
Efficient



Long
Life



Reliable
Performance



Easy
Installation



*Built
to Perform*

**LIGHT
FOR A
SAFER
TOMORROW**

Model

DC T



Voltage
12 VDC / 24 VDC



Wattage
9 watt / 24 watt




Lumen
900 / 2400



Size
1' & 2'

Application


Electrical control panel, DC Lighting



Control Panels



Machinery



Tunnels



DC Applications



DURABLE

RELIABLE

ENERGY EFFICIENT

*Bright Ideas
for a Safer Tomorrow.*

MIMIC

EMERGENCY LAMP

Reliable Illumination
When It Matters Most

LIGHT
FOR A
SAFER
TOMORROW



Emergency Lamp
(Panel Mount Type)



Emergency Flood Lamp
(Junction Box Type)



Emergency Hand Lamp
(Caged Type)



**Bright
Illumination**



**Long
Backup**



**Rugged &
Reliable**



**Easy
Installation**



**Energy
Efficient**

*Be Prepared.
Stay Bright.*

Emergency Lamp

RELIABLE LIGHTING WHEN YOU NEED IT MOST

MIMIC



Emergency Tube Light

Model EME-Lamp

- ⚡ Wattage : 8W
- 📏 Size : 300 mm
- 🕒 Charging time : 4 hours
- 🔋 Battery Backup : 2 Hours



Emergency Flood light

Model EME-Lamp

- ⚡ Wattage : 8W
- 📏 Size : 300 x 200 mm
- 🕒 Charging time : 4 hours
- 🔋 Battery Backup : 2 Hours



Emergency Panel light

Model EME-Lamp

- ⚡ Wattage : 8W
- 📏 Size : 150 x 150 mm
- 🕒 Charging time : 4 hours
- 🔋 Battery Backup : 2 Hours

LIGHT
FOR A
SAFER
TOMORROW



DURABLE



RELIABLE



ENERGY
EFFICIENT

MIMIC

MIMIC WAREHOUSE EMERGENCY LIGHT

Motion Sensor Activated LED Lighting Solution

PRODUCT OVERVIEW

Designed for warehouses and storage areas where lighting is required only when personnel are present. The motion sensor activates the light when movement is detected within its sensing range, and the light switches off automatically after a preset period of inactivity. This helps reduce unnecessary lighting operation and supports energy savings.

KEY FEATURES

-  Motion sensor activation
-  Automatic switch-off after inactivity
-  Helps reduce unnecessary energy consumption
-  Suitable for warehouse and storage areas
-  Practical industrial lighting solution

APPLICATIONS

-  Warehouses and storage facilities
-  Inventory and material handling areas
-  Loading and unloading zones
-  Utility and maintenance rooms
-  Low-occupancy industrial spaces



Front View



Back View



Top View

MIMIC – Smart Lighting. Efficient Operations.

Steam Airetric Controls

Plot no. A/34, Additional Ambernath MIDC, Anand Nagar,
Ambernath (E) Dist : Thane, Maharashtra, Pin - 421506



9321153191
9821252022



mimic.sales@gmail.com
sales@mimicproducts.in
mimic.ledlamps@gmail.com



www.mimicproducts.in
www.mimicproducts.com